## Modelling infectious diseases with EpiGraph

David E. Singh

*April* 21st 2022









#### Overview

- Computer architecture group
- EpiGraph project started in 2010
- HPC infrastructure provided by the Spanish Supercomputing Network







#### Overview

- Computer architecture group
- EpiGraph project started in 2010
- HPC infrastructure provided by the Spanish Supercomputing Network


Influenza COVID-19


















- Contact matrices
- Static profession-specific contacts
  - Teachers with students
  - Care givers with elderly people in nursing homes
- Dynamic profession-specific contacts
  - Non-front line health professionals
  - Front line health professionals
    - ▶ Higher risk of contact with COVID-19 infected individuals
  - Hospitality (catering workers)
  - Security services (police, etc.)
- Occasional social meetings

## Epidemic model

#### Extended SEIR model



# **Projects**

| Start<br>year | Scope                                    | Partner                                       |
|---------------|--|---|
| 2020          | Forecast                                 | Spanish National Epidemiology<br>Centre (NEC) |
| 2020          | Spanish COVID-19 vaccination strategy    | Spanish Ministry of Health (MoH)              |
| 2021          | Removal of restriction analysis          | NEC, MoH                                      |
| 2022          | Long-term forecast                       | MoH, EUCovid-19ForecastHub                    |
| 2022          | Social disparities                       | NEC, University of Rostock                    |
| 2022          | Multi-source and multi-method prediction | Regional Government of Madrid                 |

### Social disparities

- Prof. Gabriele Doblhammer
- University of Rostock, Chair of Empirical Methods in Social Science and Demography
- Study the relationship between the COVID-19 incidence rates and the socioeconomic characteristics of different counties in Germany
  - Regional Characteristics of the Second Wave of SARS-CoV-2 Infections and COVID-19 Deaths in Germany. Int J Environ Res Public Health. 2021
  - Social disparities in the first wave of COVID-19 infections in Germany: A county-scale explainable machine learning approach. **BMJ Open.** 2022





### PredCov

#### Research strands

#### **Epidemiological models**

- EpiGraph
- CoronaSurvey
- Machine learning

#### Media analysis

- Public debate
- Public perception of risk
- Fake news

#### Social analysis

- · Contact tracing
- Mobility analysis
- Population habits

#### **Economic analysis**

- Sectors experiencing growth or shrinking
- Economic policy design








### PredCov

- Madrid mobility survey (2018)
- Face-to-face interviews with every family member
  - ▶ 34,652 samples
- Phone interviews with one family member
  - ▶ 50,412 samples
- Survey consists of 22 questions with 9 questions related to each journey made.



## PredCov



### Contact

- Project web page
  - https://www.arcos.inf.uc3m.es/epigraph
  - https://www.arcos.inf.uc3m.es/predcov

- Contact: David E. Singh
  - dexposit@inf.uc3m.es
  - https://www.arcos.inf.uc3m.es/dexposito